Hazards of Formula Bibliography

Abrams C et al. 1975 Hazards of overconcentrated milk formula:hyperosmolality, disseminated intravascular coagulation and gangrene. JAMA 232:1136-1140.

Agostoni C, Trojan S, Bellu R, et al. 1995 Neurodevelopmental quotient of healthy term infants at 4 months and feeding practice: the role of long chain polyunsaturated fatty acids. Pediatr Res 38:262-266

Aksit S, Caglayan S, Yaprak I, et al. 1997 Aflatoxin: is it a neglected threat for formula-fed infants? Acta Paediatr Jpn 39:34-36

Amdur, et al. Casarett and Doull's toxicology: the basic science of poisons. 4th edition, 1991, p.499 American Academy of Pediatrics, Committee on Nutrition. 1989 Follow-up or weaning formulas. Pedaitr 83:1067.

American Academy of Pediatrics, Committee on Nutrition. 1989 Hypoallergenic infant formulas. Pediatr 83:1068-1069.

American Academy of Pediatrics, Workgroup on Cow Milk Protein and IDDM. 1995 AAP recommendations of cow milk, soy, and early infant feeding. Pediatr 96:515-517

Amin SB, Merle KS, Orlando MS, et al. Brainstem maturation in premature infants as a function of enteral feeding type. Pediatrics 2000 106:318-322

Anderson JW, Johnstone BM, Remley DT. Breastfeeding and cognitive development: a meta-analysis. Am J Clin Nutr 1999 70:525-535

Antoniou M. 1996 Genetic pollution. Nutritional Therapy Today. 6:8-11

Area S, Quero J, Duran S, et al. 1994 Iodine content of infant formulas and iodine intake of premature babies: high risk of iodine deficiency. Arch Dis Child 71:F184-F191

Badizadegan K. Lead in formula. New Eng J Med 326:1361-1362

Baker L. 1995 Message in a bottle. In These Times August 21:24-26

Ball TM, Wright AL. 1999 Health care costs of formula-feeding in the first year of life. Pediatrics 103 (Suppl):870-876

Balmer SE, Hanvey LS, Wharton BA. 1994 Diet and faecal flora in the newborn: nucleotides. Arch Dis Child F137-140

Barnes R. 1982 Infant formula label review. J Assoc Off Anal Chem 65:1474-1477.

Bauer G et al. 1991 Breastfeeding and cognitive development of three-year-old children. Pyschological Reports 68:1218.

Baum CR, Shannon MW. The lead concentration of reconstituted infant formula. J Toxicol Clin Toxicol. 1997;35(4):371-5

Biering G et al. 1989 Three cases of neonatal meningitis caused by Enterobacter sakazakii in powdered milk. J Clin Microbiology 27:2054-2056

Birch E, et al. 1993 Breast-feeding and optimal visual development. J Pediatr Ophthamology Strbismus 30:33-38

Bishop NJ. 1992 Aluminum in infant feeding: is it a problem? Eur J Clin Nutr 46:Suppl 4, S37-S39

Bjorksten B. 1993 Comment on "Antigen-reduced infant formulae." Acta Paediatr 82:660-662

Blass EM. 1994 Behavioral and physiological consequences of suckling in rat and human newborns. Acta Paediatr Suppl 397:71-76

Blecker U. 1997 Role of hydrolyzed formulas in nutritional allergy prevention in infants. Southern Med J 90:1170-1175

Bohles H, Aschenbrenner M, Roth M, et al. 1993 Development of thyroid gland volume during the first 3 months of life in breast-fed versus iodine-supplemented and iodine-free formula-fed babies. Clin Investig 71:13-20

Borum P. 1992 Medium-chain triglycerides in formula for preterm neonates: implications for hepatic and extrahepatic metabolism. J Pediatr 120:S139-145.

Bowen WH, et al. Assessing the cariogenic potential of some infant formulas, milk and sugar solutions. J Am Dent Assoc 1997 128:865-871

Brotons JA, Olea-Sorrano MF, Villalobos M, et al. 1995 Xenoestrogens released from lacquer coatings in food cans. Environ Health Persp; 103:608-612

Brown KH, Peerson JM, Fontaine O. 1994 Use of nonhuman milks in the dietary management of young children with acute diarrhea: a meta-analysis of clinical trials. Pediatr 93:17-27

Bruce RC, Kleigman RM. 1997 Hyponatremic seizures secondary to oral water intoxication in infancy: association with commercial bottled drinking water. Pediatrics 100: e4 Web site: http://www.pediatrics.org/cgi/content/full/100/6/e4

Burros M: 1997 Eating Well: trying to get labels on genetically altered food. New York Times May 21,

Butte N, Smith E, Garza C. 1991 Heart rates of breastfed and formula-fed infants. J Pediatr Gastroenterol Nutr 13:391-396.

Byard RW, Makrides M, Need M, et al. 1995 Sudden infant death syndrome: effect of breast and formula feeding on frontal cortex and brainstem lipid composition. J Paediatr Child Health 31:14-16

Carlson S, Rhodes P, Ferguson M. 1986 Docosahexaenoic acid status of preterm infants at birth and following feeding with human milk or formula. Am J Clin Nutr 44:798-804.

Carlson S, Cooke R, Rhodes P et al. 1992 Effect of vegetable and marine oils in preterm infant formulas on blood arachidonic and docosahexaenoic acids. J Pediatr 120:S159-167.

Centers for Disease Control and Prevention. 1994 Acute pulmonary hemorrhage/hemosiderosis among infants-Cleveland. January 1993- November 1994. MMRW 43:881-883

Chambers T, Steel A. 1975 Concentrated milk feeds and their relation to hypernatremic dehydration in infants. Arch Dis Child 50:610-615.

Chierici R, Sawatzki G, Tamisari L et al. 1992 Supplementation of an adapted formula with bovine lactoferrin. 2. effects on serum iron, ferritin and zinc levels. Acta Paediatr 81:475-479.

Chorazy PA, Himelhoch S, Hopwood NJ, et al. 1995 Persistent hypothyroidism in an infant receiving a soy formula: case report and review of the literature. Pediatr 96:148-150

Churella HR, Borschel MW, Thomas MR, et al. 1994 Growth and protein status of term infants fed soy protein formulas differing in protein contant. J Am Coll Nutr 13:262-267

Chren M et al. 1989 Doctors, drug companies, and gifts. JAMA 262:3448-3451.

Clandinin M et al. 1989 Requirements of newborn infants for long chain polyunsaturated fatty acids. Acta Paediatr Scand Suppl 351:63-71.

Clandinin M et al. 1992 Feeding preterm infants a formula containing C20 and C22 fatty acids simulates plasma phospholipid fatty acid composition of infants fed human milk. Early Hum Dev 31:41-51.

Clark K, Makrides M, Neumann M et al. 1992 Determination of the optimal ratio of linoleic to alpha-linolenic acid in infant formulas. J Pediatr 120:S151-158.

Cockburn F. 1994 Neonatal brain and dietary lipids. Arch Dis Child 70:F1-F2

Colon I, Caro D, Bourdony CJ, Rosario O. Identification of phthalate esters in the serum of young puerto rican girls with premature breast development. Environ Health Perspect 2000 Sep;108(9):895-900

Consumer Reports. 1999 Seeds of change. September 1999;41-46

Coodin F, Gabrielson I. 1971 Formula fatality. Pediatr 47:438-439.

Craun GF, Greathouse DG, Gunderson DH. 1981 Methaemoglobin levels in young children consuming high nitrate well water in the United States. Intl J Epidemiology 10:309-317

Cunnane SC, Francescutti V, Brenna JT, Crawford MA. Breastfed infants achieve a higher rate of brain and whole body docosahexaenoate accumulation than formula-fed infants not consuming dietary docosahexaenoate. Lipids 2000 35:105-111

Cunningham AS, Jelliffe DB, Jelliffe EFP. 1991 Breast-feeding and health in the 1980s: a global epidemiologic review. J Pediatr 118:659-665

Dabeka R, McKenzie A. 1988 Lead and cadmium levels in commercial infant foods and dietary intake by infants 0-1 year old. Food Additives and Contaminants 5:333-342.

Dabeka R, McKenzie A. 1990 Aluminum levels in Canadian infant formulae and estimation of aluminum intakes from formulae by infants 0-3 months old. Food Additives and Contaminants 7:275-282.

Davis MK, Savitz DA, Graubard BI. 1988 Infant feeding and childhood cancer. Lancet ii August 13:365-368

Davis MK. 1998 Review of the evidence for an association between infant feeding and childhood cancer. Int J Cancer Suppl 11:29-33

DeCuros M, Napolitano E, Ciccimatra F, et al. 1989 Aluminum content in human milk and in infant formulas. Eur J Clin Nutr 43:887

DeGangi G, DiPietro J, Greenspan S et al. 1991 Psychophysiological characteristics of the regulatory disordered infant. Inf Behav Dev 14:37-50.

Decsi T, Koletzko B. 1994 Polyunsaturated fatty acids in infant nutrition. Acta Paediatr Suppl 395:31-37

Dewey KG, Heinig MJ, Nommsen-Rivers LA. Differences in morbidity between breast-fed and formula-fed infants. J Pediatr 1995 May;126(5 Pt 1):696-702

DiPietro J, Larson S, Porges S. 1987 Behavioral and heart rate pattern differences between breastfed and bottle-fed neonates. Dev Psychol 23:467-474.

Dixon JJ, Burd DAR, Roberts DGV: 1997 Severe burns resulting from an exploding teat on a bottle of infant formula milk heated in a microwave oven. Burns 23:268-269

Duffy LC, Byers TE, Riepenhoff-Talty M, et al. 1986 The effects of infant feeding on rotavirus-induced gastroenteritis: a prospective study. Am J Pub Health 76:259-263

Duffy LC, Faden H, Wasielewski R, Wolf J, Krystofik D. Exclusive breastfeeding protects against bacterial colonization and day care exposure to otitis media. Pediatrics 1997 Oct;100(4):E7

Duncan B, Ey J, Holberg CJ, et al. 1993 Exclusive breastfeeding for at least 4 months protects against otitis media. Pediatr 91:867-872

Dusdieker LB, Getchell JP, Liarakos TM, et al. 1994 Nitrate in baby foods: adding to the nitrate mosaic. Arch Pediatr Adolesc Med 148:490-494

Dusdieker LB, Dungy CI: 1996 Nitrates and babies: a dangerous combination. Contemporary Pediatrics 13:91-102

Ellis M et al. 1991 Anaphylaxis after ingestion of a recently introduced hydrolyzed whey protein formula. J Pediatr 118:74-77.

Erickson PR, et al. Estimation of the caries-related risk associated with infant formula. Pediatr Dent 1998 20:395-403

Erickson PR, et al. Investigation of the role of human breast milk in caries development. Pediatr Dent 1999 21:86-90

ESPGAN Committee on Nutrition. 1990 Comment on the composition of soy protein based infant and follow-up formulas. Acta Paediatr Scand 79:1001-1005

Environmental Working Group. Pouring it On. Washington, DC; Feb 22, 1996

Environmental Working Group. Pesticides in Baby Food. Washington, DC; July 26, 1995

Fall C. 1992 Nutrition in early life and later outcome. Eur J Clin Nutr 46: Suppl 4, S57-S63

Farquharson J, et al. 1992 Infant cerebral cortex phospholipid fatty-acid composition and diet. Lancet 340:810-813

FDA Consumer. 1990 Soy drinks not infant formulas. 24:2.

FDA Consumer. 1991 Bacteria in baby's food. 25:40.

FDA Consumer. 1995 Estrogen: friend or foe? 29:25-29

Febres C, Echeverri EA, Keene HJ. Parental awareness, habits, and social factors and their relationship to baby bottle tooth decay. Pediatr Dent. 1997 Jan-Feb;19(1):22-7

Fein SB, Falci CD. 1999 Infant formula preparation, handling, and related practices in the United States. J Am Diet Assoc 99:1234-1240

Fernandez-Lorenzo JR, Cocho JA, Rey-Goldar ML, Couce M, Fraga JM. Aluminum contents of human milk, cow's milk, and infant formulas. J Pediatr Gastroenterol Nutr. 1999 Mar;28(3):270-5

Finberg L. 1991 Water intoxication:a prevalent problem in the inner city. Am J Dis Child 145:981-982.

Florey CD, Leech AM, Blackhall A. 1995 Infant feeding and mental and motor development at 18 months of age in first born singletons. Intl J Epidemiology 24(Suppl 1):S21-S26

Fomon S et al. 1990 Formulas for older infants. J Pediatr 116:690-696.

Fomon SJ, Ziegler EE, Nelson SE, Frantz JA. 1995 What is the safe protein-energy ratio for infant formulas? Am J Clin Nutr 62:358-363

Food Chemical News: July 1, 1985 Academy of Pediatrics asks sampling of groundwater near formula plants. 27:31. November 28, 1983 Ross Laboratories closes wells contaminated with TCE, PCE p. 29. October 24, 1983 Waxman asks FDA to report on nitrosamines in baby bottle nipples p. 40. July 11, 1983 Higher action level for hospital rubber nipples proposed by manufacturers p. 15. April 23, 1990 FDA details unsupported label claims for some infant formulas. p. 5-6. March 20, 1989 Carnation drops "hypoallergenic" from formula front label. p. 41.

January 30, 1989 Microbiological testing requirements for powdered formula proposed. p. 48.

Ford RPK, Taylor BJ, Mitchell EA, et al. 1993 Breastfeeding and the risk of sudden infant death syndrome. Intl J Epidemiol 22:885-890

Fort P, et al. 1986 Breast feeding and insulin dependent diabetes mellitus in children. J Am Coll Nutr 5:439-441

Fort P, et al. 1990 Breast and soy-formula feedings in early infancy and the prevalence of autoimmune thyroid disease in children, J Am Coll Nutr 9:164-167

Fox N, Porges S. 1985 The relation between neonatal heart period patterns and developmental outcome. Child Dev 56:28-37.

Frederickson D, Sorenson JR, Biddle AK, et al. Relationship of sudden infant death syndrome to breast-feeding duration and intensity. Arch Dis Child 1993 147:460

Freni-Titulaer LW, Cordero JF, Haddock L, Lebron G, Martinez R, Mills JL. Premature thelarche in Puerto Rico. A search for environmental factors. Am J Dis Child. 1986 Dec;140(12):1263-7

Freudenheim JL, Marshall JR, Graham S, et al. 1994 Exposure to breastmilk in infancy and the risk of breast cancer. Epidemiology 5:324-331

Freundlich M, Abitbol C, Zilleruelo G, et al. 1985 Infant formula as a cause of aluminum toxicity in neonatal uraemia. Lancet Sept 7:527-529

Friel JK, Andrews WL, Matthew JD, et al. 1993 Zinc supplementation in very-low-birth-weight infants. J Pediatr Gastroenterol Nutr 17:97-104

Fukushima N, Nagashima K, Kuroume T. 1994 Fibronectin synthesis bioactivity in human breast milk. Biol Neonate 65:77-84

Furberg H, et al. Lactation and breast cancer risk. Intl J Epidemiol 1999 28:396-402

Gale CR, Martyn CN. 1996 Breastfeeding, dummy use, and adult intelligence. Lancet 347:1072-1075

Giovannini M, Agostoni C, Fiocchi A, et al. 1994 Antigen-reduced infants formulas versus human milk:growth and metabolic parameters in the first 6 months of life. J Am Coll Nutr 13:357-363

Gordon N: 1997 Nutrition and cognitive function. Brain & Development 19:165-170

Gordon AE, Saadi AT, MacKenzie DA, et al. The protective effect of breast feeding in relation to sudden infant death syndrome (SIDS): II. The effect of human milk and infant formula preparations on binding of Clostridium perfringens to epithelial cells. FEMS Immunol Med Microbiol 1999 Aug a 25(1-2):167-173

Gordon AE, Saadi AT, MacKenzie DA, et al. The protective effect of breast feeding in relation to sudden infant death syndrome (SIDS): III. Detection of IgA antibodies in human milk that bind to bacterial toxins implicated in SIDS. FEMS Immunol Med Microbiol 1999 Aug 1 25(1-2):175-182

Grant CC, Rive SJ, Duncan KMW: 1994 Water intoxication secondary to incorrectly mixed infant formula. NZ Med J 107:359-360

Green HL, Moyer VA: 1995 Improper mixing of formula due to reuse of hospital bottles. Arch Pediatr Adolesc Med 149:97-99

Greene LC, Lucas A, Livingstone MB, et al. 1995 Relationship between early diet and subsequent cognitive performance during adolescence. Biochem Soc Trans 23:376S

Greer F, Apple R. 1991 Physicians, formula companies, and advertising. Am J Dis Child 145:282-286.

Gulson BL, James M, Giblin AM, Sheehan A, Mitchell P. Maintenance of elevated lead levels in drinking water from occasional use and potential impact on blood leads in children. Sci Total Environ. 1997 Oct 20;205(2-3):271-5

Haffejee IE. 1990 Cow's milk-based formula, human milk, and soya feeds in acute infantile diarrhea: a therapeutic trial. J Pediatr Gastroenterol Nutr 10:193-198

Hahn-Zoric M, Fulconis F, Minoli I, et al. 1990 Antibody responses to parenteral and oral vaccines are impaired by conventional and low protein formulas as compared to breastfeeding. Acta Paediatr Scand 79:1137-1142

Haschke F, Vanura H, Male C, et al. 1993 Iron nutrition and growth of breast-and formula-fed infants during the first 9 months of life. J Pediatr Gastroenterol Nutr 16:151-156

Hauser B, Keymolen K, Blecker U, et al. 1993 A comparative evaluation of whey hydrolysate and whey-predominant formulas. Clin Pediatr July:433-437

Hawkins NM, Coffey S, Lawson MS, Delves HT. 1994 Potential aluminum toxicity in infants fed special infant formula. J Pediatr Gastroenterol Nutr 19:377-381

Hayes K, Pronczuk A, Wood R et al. 1992 Modulation of infant formula fat profile alters the low-density lipoprotein/high density lipoprotein ratio and plasma fatty acid distribution relative to those with breastfeeding. J Pediatr 120:S109-116.

Heilman J, Kiritsy MC, Levy SM, Wefel JS. Fluoride concentrations of infant foods. J Am Dental Assoc 1997 128:857-863

Heine WE, Klein PD, Reeds PJ. 1991 The importance of alpha-Lactalbumin in infant nutrition. J Nutr 121:277-283

Heird W et al. 1992 Practical aspects of achieving positive energy balance in low birth weight infants. J Pediatr 120:S120-128.

Hibbard RA, Blevins R. 1988 Palatal burn due to bottle warming in a microwave oven. Pediatrics 82:382-384

Ho M et al. 1988 Diarrheal deaths in American children: are they preventable? JAMA 260:3281-3285.

Hofer M. 1994 Early relationships as regulators of infant physiology and behavior. Acta Paediatr Suppl 397:9-18

Hoffman H et al. 1988 Risk factors for SIDS:results of the National Institute of Child Health and Human Development SIDS cooperative epidemiological study. In Schwartz P et al. (eds) SIDS:cardiac and respiratory mechanisms and interventions. Ann NY Acad Sci 533:13-30.

Holberg CJ, Wright AL, Martinez FD, et al. Risk factors for respiratory syncytial virus-associated lower respiratory illnesses in the first year of life. Am J Epidemiol 133:1135-1151

Holick MF, Shao Q, Liu WW, et al. The vitamin D content of fortified milk and infant formula. New Engl J Med 1992 326:1178-1181

Horev Z, Cohen AH. 1994 Compulsive water drinking in infants and young children. Clin Pediatr April:209-213

Horwood LJ, Fergusson DM. 1998 Breastfeeding and later cognitive and academic outcomes. Pediatrics 101: e-9. Web site: http://pediatrics.org/cgi/content/full/101/1/e9

Host A: 1991 Importance of the first meal on the development of cow's milk allergy and intolerance. Allergy Proc 10:227-232

Houlihan J, Wiles R. 1999 Into the mouths of babes: bottle-fed infants at risk from atrazine in tap water. Washington, DC: Environmental Working Group. http://www.ewg.org

Howard C, Howard F, Lawrence R, et al. 2000 Office prenatal formula advertising and its effect on breastfeeding patterns. Obstet Gynecol 95:296-303

Howie PW, Forsyth JS, Ogston SA, et al. 1990 Protective effect of breast feeding against infection. Br Med J 300:11-16

Hreshchyshn MM, et al. Association of parity, breastfeeding, and birth control pills with lumbar spine and femoral neck bone densities. Am J Obstet Gynecol 1988 159:318-322

Huffman S. 1991 Formula marketing: a primary healthcare issue. Mothering 60:81-85.

Infante-Rivard C, Fortier I, Olson E. Markers of infection, breast-feeding and childhood acute lymphoblastic leukaemia. Br J Cancer 2000 Dec;83(11):1559-1564

Innis S. 1992 Human milk and formula fatty acids. J Pediatr 120:S56-61.

Innis S. 1992 Plasma and red blood cell fatty acid values as indexes of essential fatty acids in the developing organs of infants fed with milk or formulas. J Pediatr 120:S78-86.

Innis S. 1992 Introduction. J Pediatr 120:S51-55.

Innis S, et al. 1990 Plasma and red cell fatty acids of low birth weight infants fed their mother's expressed breast milk or preterm infant formula. Am J Clin Nutr 51:994-1000.

Inoue N, Sakashita R, Kamegai T. 1995 Reduction of masseter muscle activity in bottle fed babies. Early Human Dev 42:185-193

International Lactation Consultant Association. 1992 Summary of the hazards of infant formula. Evanston, IL

Irvine C, Fitzpatrick M, Robertson I, Woodhams D. 1995 The potential adverse effects of soybean phhytoestrogens in infant feeding. N Z Med J 108:208-209

Irvine CHG, Fitzpatrick MG, Alexander SL. 1998 Phytoestrogens in soy-based infant foods: concentrations, daily intake, and possible biological effects. Proc Soc Exp Bio Med 217:247-253

Iyngkaran N, et al. 1988 Effects of soy protein on the small bowel mucosa of young infants recovering from acute gastroenteritis. J Pediatr Gastroenterol Nutr 7:68-75

Jabbar MA, Larrea J, Shaw RA: 1997 Abnormal thyroid function tests in infants with congenital hypothyroidism: the influence of soy-based formula. J Am Coll Nutr 16:280-282

Jamieson EC, Farquharson J, Logan RW, et al. Infant cerebellar gray and white matter fatty acids in relation to age and diet. Lipids 1999 34:1065-10

Jeffs S. 1989 Hazards of scoop measurements in infant feeding. J Royal College General Practitioners 39:113.

Jensen R, et al. 1992 Effect of dietary intake of n-6 and n-3 fatty acids on the fatty acid composition of human milk in North America. J Pediatr 120:S87-92.

Jensen RG (Ed): Handbook of milk composition. San Diego, CA: Academic press, 1995

Johnson et al. Fatal outcome of methemoglobenemia in an infant. JAMA 1987; 20:2796-2797

Johnson DL, Swank PR, Howie VM, et al. 1996 Breastfeeding and children's intelligence. Psych Reports 79:1179-1185

Johnston CS, Monte WC. Infant formula ingestion is associated with the development of diabetes in the BB/WOR rat. Life Sciences 2000 66:1501-1507

Jones EG, Matheny RJ. 1993 Relationship between infant feeding and exclusion rate from child care because of illness. J Am Diet Assoc 93:809-811

Kaleita T et al. 1991 A neurobehavioral syndrome after failure to thrive on chloride-deficient formula. Dev Med Child Neurol 33:626-635.

Kalkwarf HJ, Specker BL. Bone mineral loss during lactation and recovery after weaning. Obstet Gynecol 1995 86:26

Kalkwarf HJ, et al. Intestinal calcium absorption of women during lactation and after weaning. Am J Clin Nutr 1996 63:526

Karjalainen J, Martin JM, Knip M, et al. 1992 A bovine albumin peptide as a possible trigger of insulin-dependent diabetes mellitus. N Engl J Med 327:302-307

Kasa N, Heinonen K. 1993 Near-infrared interactance in assessing superficial body fat in exclusively breast-fed, full-term neonates. Acta Paediatr 82:1-5.

Keating J et al. 1991 Oral water intoxication in infants: an American epidemic. Am J Dis Child 145:985-990.

Kennedy TS, Oakland MJ, Shaw RD. 1999 Growth patterns and nutritional factors associated with increased head circumference at 18 months in normally developing, low-birth-weight infants. J Am Diet Assoc 99:1522-1526

Khachik F, Spangler CJ, Smith JC: 1997 Identification, quantification, and relative concentrations of carotenoids and their metabolites in human milk and serum. Anal Chem 69:1873-1881

Knight DC, Eden JA, Huang JL, Waring MA. 1998 Isoflavone content of infant foods and formulas. J Paediatr Child Health 34:135-138

Koenig J et al. 1990 Coordination of breathing, sucking and swallowing during bottle feedings in human infants. J Appl Physiol 69:1623-1629.

Kohrman A. 1991 The American Academy of Pediatrics relations to for-profit corporations. Pediatr 88:1278-1281.

Koletzko B, Bremer HJ. 1989 Fat content and fatty acid composition of infant formulas. Acta Paediatr Scand 78:513-521

Koletzko B. 1992 Fats for brains. Eur J Clin Nutr 46:Suppl 1, S51-S62

Koletzko B, Thiel I, Springer S. 1992 Lipids in human milk: a model for infant formulae? Eur J Clin Nutr 46:Suppl 4, S45-S55

Koletzko S, Sherman P, Corey M, Griffiths A, Smith C. Role of infant feeding practices in development of Crohn's disease in childhood. BMJ 1989 Jun 17;298(6688):1617-8

Koletzko S, Griffiths A, Corey M, Smith C, Sherman P. Infant feeding practices and ulcerative colitis in childhood. BMJ 1991 Jun 29;302(6792):1580-1

Koo j, Weaver CM, Neylan MJ. 1993 Solubility of calcium salts and carrageenan used in infant formulas did not influence calcium absorption in rats. J Pediatr Gastroenenterol Nutr 17:298-302

Koo WWK, Kaplan LA. 1988 Aluminum and bone disorders: with specific reference to aluminum contamination of infant nutrients. J Am Coll Nutr 7:199-214

Koo W et al. 1988 Aluminum contamination of infant formulas. J Parenteral and Enteral Nutrition 12:170-173.

Koo WWK, Krug-Wispe SK, Succop P, et al. 1992 Sequential serum aluminum and urine aluminum: creatinine ratio and tissue aluminum loading in infants with fractures/rickets. Pediatr 89:877-881

Krimpenfort P. 1993 The production of human lactoferrin in the milk of transgenic animals. Cancer Detection and Prevention 17:301-305

Kunz C, Lonnerdal B. 1992 Re-evaluation of the whey protein/casein ratio of human milk. Acta Paediatr 81L107-112.

Kunz C, Rudloff S. 1993 Biological functions of oligosaccharides in human milk. Acta Paediatr 82:903-912

Labbok MH, Hendershot GE. Does breast-feeding protect against malocclusion? An analysis of the 1981 Child Health Supplement to the National Health Interview Survey. Am J Prev Med. 1987 Jul-Aug;3(4):227-32

Landrigan PJ, Todd AC. Lead poisoning. West J Med 1994 161:153-159

Lanting CI, Fidler V, Huisman M, Touwen BC, Boersma ER. Neurological differences between 9-year-old children fed breast-milk or formula-milk as babies. Lancet. 1994 Nov 12;344(8933):1319-22

Larkin M: 1995 Estrogen: friend or foe? FDA Consumer; April 25-29

Lawrence R. Testimony before the US senate joint hearing of the subcommittee on antitrust, monopolies and business rights and the committee on agriculture, nutrition and forestry on the public advertising of infant formula. March 14, 1991.

Litov R, Sickles VS, Chan GM, et al. 1989 Plasma aluminum measurements in term infants fed human milk or a soy-based infant formula. Pediatr 84:1105-1107

Lonnerdal B, Hernell O. Iron, zinc, copper and selenium status of breast-fed infants and infants fed trace element fortified milk-based infant formula. Acta Paediatr 83:367-373

Lowry L, Burnsides J. 1991 Bacterial growth in iced and noniced formula for feeding premature infants: a pilot study. Neonatal Network 9:51-53.

Lucas A, Cole T. 1990 Breastmilk and neonatal necrotising enterocolitis. Lancet 336:1519-1523.

Lucas A et al. 1992 Breastmilk and subsequent intelligence quotient in children born preterm. Lancet 339:261-264.

Lucas A, Fewtrell MS, Morley R, et al. 1996 Randomized outcome trial of human milk fortification and developmental outcome in preterm infants. Am J Clin Nutr 64:142-151

Mack WJ, Preston-Martin S, Bernstein L, et al. Reproductive and hormonal risk factors for thyroid cancer in Los Angeles County females. Cancer Epidemiol Biomark Prev 1999 8:991-997

MAFF. Food surveillance information sheet number 83: phthalates in infant formula. UK Ministry of Agriculture, Fisheries, and Food. 1996

Makrides M, Neumann M, Simmer K, et al. 1995 Are long-chain polyunsaturated fatty acids essential nutrients in infancy? Lancet 345:1463-1468

Martinez M. 1992 Tissue levels of polyunsaturated fatty acids during early human development. J Pediatr 120:S129-138.

Masters RD, Hone B, Doshi A: 1997 Environmental pollution, neurotoxicity, and criminal violence. In Rose J (ed): Environmental toxicology. London & New York: Gordon & Breach Publishers

Matthew O, Clark ML, Pronske ML, et al. 1985 Breathing pattern and ventilation during oral feeding in term newborn infants. J Pediatr 106:810-813

Mathew O. 1988 Respiratory control during nipple feeding in preterm infants. Pediatric Pulmonology 5:220-224.

Mathew O, Bhatia J. 1989 Sucking and breathing patterns during breast-and bottle-feeding in term neonates. Am J Dis Child 143:588-592.

Mathew O. 1991 Breathing patterns of preterm infants during bottle feeding:role of milk flow. J Pediatr 119:960-965.

Mathew O. 1991 Science of bottle feeding. J Pediatr 119:511-519.

Mathur GP, Gupta N, Mathur S, Gupta V, Pradhan S, Dwivedi JN, et al. Breastfeeding and childhood cancer. Indian Pediatr 1993 30:651-657

Mayer EJ, Hamman RF, Gay EC, et al. 1988 Reduced risk of IDDM among breast-fed children. Diabetes 37:1625-1632

McCreadie RG: 1997 The Nithsdale schizophrenia surveys 16. Breast feeding and schizophrenia: preliminary results and hypotheses. Br J Psychiatr 170:334-337

McKinney PA, Parslow R, Gurney KA, Law GR et al. Perinatal and neonatal determinants of childhood type I diabetes. A case-control study in Yorkshire, UK. Dabestes Care 1999 Jun 22(6):928-932

McJunkin J et al. 1987 Errors in formula concentration in an outpatient population. J Pediatr 111:848-850

McTiernan A, Thomas DB. Evidence for a protective effect of lactation on risk of breast cancer in young women. Am J Epidemiol 1986 124:353-358

Mermin J, Hoar B, Angulo FJ: 1997 Iguanas and Salmonella marina infection in children: a reflection of the increasing incidence of reptile-associated Salmonellosis in the United States. Pediatrics 99:399-402

Metcalf R, Dilena B, Gibson R, et al. 1994 How appropriate are commercially available human milk fortifiers? J Paediatr Child Health 30:350-355

Miller ME, Plumeau P, Blakely E. 1993 Elevated phenylalanine concentrations in benign hyperphenylalaninemia from evaporated milk feedings. Clin Pediatr February:124-125

Mimouni F, et al. 1993 Bone mineralization in the first year of life in infants fed human milk, cow-milk formula, or soy-based formula. J Pediatr 122:348-354.

Minchin M. 1987 Infant formula: a mass, uncontrolled trial in perinatal care. Birth 14:25-35.

Mitchell E et al. 1991 Cot death supplement: Results from the first year of the New Zealand cot death study. NZ Med J 104:71-76.

Morais TB, Morais MB, Sigulem DM: 1998 Bacterial contamination of the lacteal contents of feeding bottles in metropolitan Sao Paulo, Brazil. Bull World Health Org 76:173-181

Morbidity and Mortality Weekly. Salmonella serotype Tennessee in powdered milk products and infant formula-Canada and United States, 1993. 42:516-517 (July 9, 1993)

Morbidity and Mortality Weekly 1993. Methemoglobinemia in an infant--Wisconsin, 1992. 42:217-219

Morley R et al. 1988 Mother's choice to provide breastmilk and developmental outcome. Arch Dis Child 63:1382-1385.

Morrow-Tlucak M et al. 1988 Breastfeeding and cognitive development in the first two years of life. Soc Sci Med 26:635-639.

Muytjens H et al. 1988 Quality of powdered substitutes for breastmilk with regard to members of the family Enterobacteriaceae. J Clin Microbiol 26:743-746.

Nako Y, Fukushima N, Tomomasa T, et al. 1993 Hypervitaminosis D after prolonged feeding with a premature formula. Pediatr 92:862-863

Nilsson J, Blackberg L, Carlsson P, et al. 1990 DNA cloning of human-milk bile-salt-stimulated lipase and evidence for its identity to pancreatic carboxylic ester hydrolase. Eur J Biochem 192:543-550

Novak M. 1990 Carnitine supplementation in soy-based formula-fed infants. Biol Neonate 58(suppl):89-92.

Novak V. 1988 Formula for profit. Common Cause Magazine March/April:18-22.

Oddy WH, Holt PG, Sly PD, et al. 1999 Association between breastfeeding and asthma in 6 year old children: findings of a prospective birth cohort study. BMJ 319:815-819

Oddy WH. Breastfeeding and asthma in children: findings from a West Australian study. Breastfeed Rev 2000 Mar;8(1):5-11

Ollila P, et al. Prolonged pacifier sucking and the use of a nursing bottle at night: possible risk factors for dental caries in children. Acta Odontol Scand 1998 56:233-237

Pabst HF, Spady DW. 1990 Effect of breast-feeding on antibody response to conjugate vaccine. Lancet 336:269-270

Palmer B. The influence of breastfeeding on the development of the oral cavity: a commentary. J Hum Lact 1998 14:93-98

Paradise JL, Elster BA, Tan L. Evidence in infants with cleft palate that breast milk protects against otitis media. Pediatrics 1994 Dec;94(6 Pt 1):853-60

Paradise JL, Rockette HE, Colborn DK, Bernard BS, Smith CG, Kurs-Lasky M, Janosky JE. Otitis media in 2253 Pittsburgh-area infants: prevalence and risk factors during the first two years of life. Pediatrics 1997 Mar;99(3):318-33

Pellegrino M, Sacco M, D'Altilia MR, et al.1996 Hemorrhagic disease in an infant fed on a vitamin K-deficient soya formula. J Pediatr Gastroenterol Nutr 23:413-414

Pendrys DG. Risk of enamel fluorosis in nonfluoridated and optimally fluoridated populations. J Am Dent Assoc 2000 131:746-755

Pettitt DJ, Forman MR, Hanson RL, Knowler WC, Bennett PH. Breastfeeding and incidence of non-insulin-dependent diabetes mellitus in Pima Indians. Lancet 1997 Jul 19;350(9072):166-8

Pettitt DJ, Knowler WC. Long-term effects of the intrauterine environment, birth weight, and breast-feeding in Pima Indians. Diabetes Care 1998 Aug;21 Suppl 2:B138-41

Plancoulaines S, et al. Infant feeding patterns are related to blood cholesterol concentration in prepubertal children aged 5-11 y: the Fleurbaix-Laventie Ville Sante study. Eur J Clin Nutr 2000 54:114-119

Poets CF, Langner MU, Bohnhorst B: 1997 Effects of bottle feeding and two different methods of gavage feeding on oxygenation and breathing patterns in preterm infants. Acta Paediatr 86:419-423

Polack FP, Khan N, Maisels MJ. 1999 Changing partners: the dance of infant formula changes. Clin Pediatr 38:703-708

Puczynski M, Rademaker D, Gatson RL. 1983 Burn injury related to the improper use of a microwave oven. Pediatrics 72:714

Quan R, Yang C, Rubinstein S, et al. 1994 The effect of nutritional additives on anti-infective factors in human milk. Clin Pediatr June: 325-328

Quan R, Barness LA, Uauy R: 1990 Do infants need nucleotide supplemented formula for optimal nutrition? J Pediatr Gastroenterol Nutr 11:429-437

Radford A. 1991 The ecological impact of bottle feeding. Cambridge, UK: Baby Milk Action .

Raisler J, Alexander C, O'Campo P. Breast-feeding and infant illness: a dose-response relationship? Am J Public Health 1999 Jan;89(1):25-30

Ratageri VH, Kabra SK, Dwivedi SN, Seth V. Factors associated with severe asthma. Indian Pediatr 2000 Oct 7;37(10):1072-1082

Ratnayake WMN, Chardigny JM, Wolff RL, et al. 1997 Essential fatty acids and their trans geometrical isomers in powdered and liquid infant formulas sold in Canada. J Pediatr Gastroenterol Nutr 25:400-407

Ravelli AC, van der Meulen JH, Osmond C, Barker DJ, Blecker OP. Infant feeding and adult glucose tolerance, lipid profile, blood pressure, and obesity. Arch Dis Child 2000 Mar 82(3):248-252

Rigas A, Rigas B, Glassman M, Yen YY, Lan SJ, Petridou E, Hsieh CC, Trichopoulos D. Breast-feeding and maternal smoking in the etiology of Crohn's disease and ulcerative colitis in childhood. Ann Epidemiol 1993 Jul;3(4):387-92

Rigo J, Salle BL, Cavero E, et al. 1994 Plasma amino acid and protein concentrations in infants fed human milk or a whey protein hydrolysate formula during the first month of life. Acta Paediatr 83:127-131

Riva E, Agostoni C, Biasucci G, et al. 1996 Early breastfeeding is linked to higher intelligence quotient scores in dietary treated phenylketonuric children. Acta Paediatr 85:56-58

Roberts A, Chierici R, Sawatzki G et al. 1992 Supplementation of an adapted formula with bovine lactoferrin: 1. effect on the infant faecal flora. Acta Paediatr 81:119-124.

Rogan W, Gladen B. 1993 Breast-feeding and cognitive development. Early Hum Dev 31:181-193.

Ronneberg R, Skara B. 1992 Essential fatty acids in human colostrum. Acta Paediatr 81:779-783.

Rosenthal E, Schlesinger Y, Birnbaum Y, et al. 1991 Intolerance to casein hydrolysate formula. Acta Paediatr Scand 80:958-960

Rowan NJ, Anderson JG: 1998 Effectiveness of cleaning and disinfection procedures on the removal of enterotoxigenic bacillus cereus from infant feeding bottles. J Food Prot 61:196-200

Rowe B et al. 1987 Salmonella ealing infections associated with consumption of infant dried milk. Lancet October 17:900-903.

Saadi AT, Gordon AE, MacKenzie DA, et al. The protective effect of breast feeding in relation to sudden infant death syndrome (SIDS): I. The effect of human milk and infant formula preparations on binding of toxigenic Staphylococcus aureus to epithelial cells. FEMS Immunol Med Microbiol 1999 Aug 1 25(1-2):155-165

Saarinen UM, et al. Breastfeeding as prophylaxis against atopic disease: prospective follow up study until 17 years old. Lancet 1995 346:1065-1069

Sakashita R, Kamegai T, Inoue N. 1996 Masseter muscle activity in bottle feeding with the chewing type bottle teat: evidence from electromyographs. Early Hum Dev 45:83-92

Salisbury L, Blackwell A. 1981 Petition to alleviate domestic infant formula misuse and provide informed infant feeding choice. San Francisco, CA: Public Advocates, Inc.

Sampson H et al. 1991 Safety of casein hydrolysate formula in children with cow milk allergy. J Pediatr 118:520-525

Sando WC, Gallaher KJ, Ridgers BM. 1984 Risk factors for microwave scald injuries in infants. J Pediatrics 105:864-867

Santosham M, et al. 1991 Role of a soy-based lactose-free formula in the outpatient management of diarrhea. Pediatr 87:619-622

Savilahti E, Saukkonen TT, Virtala ET, et al. 1993 Increased levels of cow's milk and beta-lactoglobulin antibodies in young children with newly diagnosed IDDM. Diabetes Care 16:984-989

Saylor J, Bahna S. 1991 Anaphylaxis to casein hydrolysate formula. J Pediatr 118:71-73.

Scaglioni S, Agostoni C, Notaris RD, Radaelli G, Radice N, Valenti M, Giovannini M, Riva E. Early macronutrient intake and overweight at five years of age. Int J Obes Relat Metab Disord. 2000 Jun;24(6):777-81

Scariati PD, Grummer-Strawn LM, Fein SB: 1997 Water supplementation of infants in the first month of life. Arch Pediatr Adolsc Med 151:830-832

Scariati PD, et al. A longitudinal analysis of infant morbidity and the extent of breastfeeding in the United States. Pediatr 1997 99:p.e5 www.pediatrics.org/cgi/content/full/99/6/e5

Schaeffer A, Ditchek S. 1991 Current social practices leading to water intoxication in infants. Am J Dis Child 145:27-28.

Schwartz R et al. 1991 Cow milk protein hydrolysate infant formulas not always "hypoallergenic." J Pediatr117:839-840.

Schwartz KB, Cox JM, Sharma S, et al. 1997 Prooxidant effects of maternal smoking and formula in newborn infants. J Pediatr Gastroenterol Nutr 24:68-74

Schwartzbaum JA, George SL, Pratt CB, Davis B. An exploratory study of environmental and medical factors potentially related to childhood cancer. Med Pediatr Oncol 1991 19:115-121

Scott FW. 1990 Cow milk and insulin-dependent diabetes mellitus: is there a relationship? Am J Clin Nutr 51:489-491

Semple JL, Lugowski SJ, Baines CJ, et al. 1998 Breast milk contamination and silicone implants: preliminary results using silicon as a proxy measurement for silicone. Plat Reconstruct Surg 102:528-533

Setchell KDR, Zimmer-Nechemias L, Cai J, Heubi JE: 1997 Exposure of infants to phyto-oestrogens from soy-based infant formula. Lancet 350:23-27

Shannon M, Graef J. 1992 Lead intoxication in infancy. Pediatr 89:87-90.

Shannon M, Graef J. 1989 Lead intoxication from lead-contaminated water used to reconstitute infant formula. Clin Pediatr 28:380-382.

Sheehan DM. 1998 Herbal medicines, phytoestrogens and toxicity: risk:benefit considerations. Proc Soc Exp Bio Med 217:379-385

Sheikh C, Erickson PR: 1996 Evaluation of plaque pH changes following oral rinse with eight infant formulas. Pediatr Dent 18:200-204

Shu XO, Linet MS, Steinbuch M, et al. 1999 Breastfeeding and risk of childhood acute leukemia. J Natl Cancer Inst 91:1765-1772

Siener K, Rothman D, Farrar J: 1997 Early childhood caries: soft drink logos on baby bottles-do they influence what is fed to children? J Dent Child Jan-Feb:55-60

Silbergeld EK. Implications of new data on lead toxicity for managing and preventing exposure. Environ Health Perspect 1990 89:49-54

Simmons B et al. 1989 Enterobacter sakazakii infections in neonates associated with intrinsic contamination of a powdered infant formula. Infect Control Hosp Epidemiol 10:398-401.

Simopoulos A. 1991 Omega-3 fatty acids in health and disease and in growth and development. Am J Clin Nutr 54:438-463.

Singhal A, Cole TJ, Lucas A. Early nutrition in preterm infants and later blood pressure: two cohorts after randomised trials. Lancet 2001 357:413-419

Smith AM, Chen LW, Thomas MR. 1995 Selenate fortification improves selenium status of term infants fed soy formula. Am J Clin Nutr 61:44-47

Smotherman W, Robinson S. 1994 Milk as the proximal mechanism for behavioral change in the newborn. Acta Paediatr Suppl 397:64-70

Specker B et al. 1991 Low serum calcium and high parathyroid hormone levels in neonates fed 'humanized' cow's milk-based formula. Am J Dis Child 145:941-945.

Sunshine-Genova A. 1993 Improperly mixed formula. Parents August:63

Taylor B, Wadsworth J. 1984 Breastfeeding and child development at five years. Dev Med Child Neurology 26:73-80.

Teele DW, Klein JO, Rosner B, et al. 1989 Epidemiology of otitis media during the first seven years of life in children in greater Boston: a prospective, cohort study. J Infect Dis 160:83-94

Temboury MC, Otero A, Polanco I, et al. 1994 Influence of breast-feeding on the infant's intellectual development. K Pediatr Gastroenterol Nutr 18:32-36.

Thurm V, Gericke B. 1994 Identification of infant food as a vehicle in a nosocomial outbreak of Citrobacter freundii: epidemiological subtyping by allozyme, whole-cell protein and antibiotic resistance. J Appl Bacteriol 76:553-558

Tomblin JB, Smith E, Zhang X. Epidemiology of specific language impairment: prenatal and perinatal risk factors. J Commun Disord 1997 30:325-344

Tongzhang Z, Duan L, Liu Y, et al. Lactation reduces breast cancer risk in Shandong Province, China. Am J Epidemiol 2000 152:1129-1135

Tulldahl J, Pettersson K, Andersson SW, Hulthen L. Mode of infant feeding and achieved growth in adolescence: early feeding patterns in relation to growth and body composition in adolescence. Obesity Research 1999 7:431-437

Turgeon-O'Brien H, Lachapelle D, Gagnon PF, et al. 1996 Nutritive and non-nutritive sucking habits: a review. J Dent Child Sept-Oct:321-327

Uauy R. 1990 Are omega-3 fatty acids required for normal eye and brain development in the human? J Pediatr Gastroenterol Nutr 11:296-302

Uauy R, Birch E, Birch D et al. 1992 Visual and brain function measurements in studies of n-3 fatty acid requirements of infants. J Pediatr 120:S168-180.

Uhari M, Mantysaari K, Niemela M. A meta-analytic review of the risk factors for acute otitis media. Clin Infect Dis 1996 Jun;22(6):1079-83

Vaarala O, Knip M, Paronen J, et al. 1999 Cow's milk formula feeding induces primary immunization to insulin in infants at genetic risk for Type I diabetes. Diabetes 48:1389-1394

van den Bogaard C, van den Hoogen HJM, Huygen FJA, et al. 1993 Is the breast best for children with a family history of atopy? The relation between way of feeding and early childhood morbidity. Fam Med 25:471-475

Van Biervliet J, Vinaimont N, Vercaemst R et al. 1992 Serum cholesterol, cholesteryl ester, and high-density lipoprotein development in newborn infants: response to formulas supplemented with cholesterol and alpha-linolenic acid. J Pediatr 120:S101-108

Van Winkle S, et al. Water and formula fluoride concentrations: significance for infants fed formula. Pediatr Dent 1995 17:305-310

Venkataraman P, et al. 1992 Bone mineral metabolism in full-term infants fed human milk, cow milk-based, and soy-based formulas. Am J Dis Child 146:1302-1305.

Viverge D, Grimmonprez L, Cassanas G, et al. 1990 Variations in oligosaccharides and lactose in human milk during the first week of lactation. J Pediatr Gastroenterol Nutr 11:361-364

Von Kries R, Koletzko B, Sauerwald T, et al. 1999 Breastfeeding and obesity: cross sectional study. BMJ 319:147-150

von Kries R, Koletzko B, Sauerwald T, von Mutius E. Does breast-feeding protect against childhood obesity? Adv Exp Med Biol 2000;478:29-39

Walker M. Summary of the hazards of infant formula. International Lactation Consultant Association. Raleigh, NC: 1992

Walker M. A fresh look at the risks of artificial infant feeding. J Hum Lact 1993 9:97-107

Walker M. Summary of the hazards of infant formula: part 2. International Lactation Consultant Association. Raleigh, NC: 1998

Warhurst M. 1996 Hormone disrupting chemicals. http://www.ed.ac.uk/~amw/oestrogenic.html

Wasserberger J et al. 1985 Is there an excess of saturated fat in infant formula? JAMA 254:3037-3038.

Weintraub R, et al. 1986 High aluminum content of infant milk formulas. Arch Dis Child 61:914-916

Werner D. 1993 Beyond pediatrics: the health and survival of disadvantaged children. Pediatr 91:703-705.

Westin JB: Ingestion of carcinogenic N-nitrosamines by infants and children. Arch Environ Health 1990; 45:359-363

Whorwell PJ, Holdstock G, Whorwell GM, Wright R. Bottle feeding, early gastroenteritis, and inflammatory bowel disease. Br Med J 1979 Feb 10;1(6160):382

Wilcox D, Fiorello AB, Glick PL. 1993 Hypovolemic shock and intestinal ischemia: a preventable complication of incomplete formula labeling. J Pediatr 122:103-104

Williams C, Birch EE, Emmett PM, Northstone K. Stereoacuity at age 3.5 y in children born full-term is associated with prenatal and postnatal dietary factors: a report from a population-based cohort study. Am J Clin Nutr 2001 73:316-322

Willoughby A, Moss HA, Hubbard VS, et al. Developmental outcome in children exposed to chloride-deficient formula. Pediatr 1987 79:851-857

Willoughby A, Graubard BI, Hocker A, et al. Population-based study of the developmental outcome of children exposed to chloride-deficient infant formula. Pediatr 1990 85:485-490

Wilson AC, Forsyth JS, Greene SA, Irvine L, Hau C, Howie PW. Relation of infant diet to childhood health: seven year follow up of cohort of children in Dundee infant feeding study. BMJ 1998 Jan 3;316(7124):21-5

Wong WW, Hachey DL, Insull W, et al. 1993 Effect of dietary cholesterol on cholesterol synthesis in breast-fed and formula-fed infants. J Lipid Research 34:1403-1411

Wright A et al. 1989 Breastfeeding and lower respiratory tract illness in the first year of life. Br Med J 299:946-949.

Wright AL, Holberg CJ, Taussig LM, Martinez FD. Relationship of infant feeding to recurrent wheezing at age 6 years. Arch Pediatr Adolesc Med 1995 Jul;149(7):758-63

Yom HC, Bremel RD. 1993 Genetic engineering of milk composition: modification of milk components in lactating transgenic animals. Am J Clin Nutr 58(suppl):299S-306S

Yoo K-Y, Tajima K, Kuroishi T, et al. Independent protective effect of lactation against breast cancer: a case-control study in Japan. Am J Epidemiol 1992 135:726-733

Young D. 1990 Breastfeeding: can it compete in the marketplace? Birth 17:119-120.

Ziegler EE, Fomon SJ. 1983 Lactose enhances mineral absorption in infancy. J Pediatr Gastroenterol Nutr 2:228-294

Zeigler E, Fomon S. 1989 Potential renal solute load of infant formulas. J Nutr 119:1785-1788.

Ziegler E et al. 1990 Cow milk feeding in infancy: further observations on blood loss from the gastrointestinal tract. J Pediatr 116:11-18.

Zeskind P, et al. 1992 Rhythmic organization of heart rate in breastfed and bottle-fed newborn infants. Early Development and Parenting 1:79-87

Zoppi G, et al. 1982 Immunocompetence and dietary protein intake in early infancy. J Pediatr Gastroenterol Nutr 1:175-182

Zoppi G, et al. 1983 Diet and antibody response to vaccinations in healthy infants. Lancet July 2:11-14

© Marsha Walker RN, IBCLC 2002